

City Research Online

City, University of London Institutional Repository

Citation: Martin, J. S., Chater, A. & Lorencatto, F. (2013). Effective behaviour change techniques in the prevention and management of childhood obesity. International Journal of Obesity, 37(10), pp. 1287-1294. doi: 10.1038/ijo.2013.107

This is the supplemental version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: https://openaccess.city.ac.uk/id/eprint/14188/

Link to published version: https://doi.org/10.1038/ijo.2013.107

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

City Research Online: http://openaccess.city.ac.uk/ publications@city.ac.uk/

Supplementary Table 2

Search terms for PUBMED database

1. Obesity	POPULATION		
2. Obese 4. Overweight (MeSH) 5. Overweight 6. Body weight (MeSH) 7. Body weight changes (MeSH) 8. Body weight changes (MeSH) 9. Body weight changes 10. Weight gain (MeSH) 11. Weight loss (MeSH) 12. Weight gain 13. Weight loss 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduction 18. Weight reduction 18. Weight (MeSH) 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. School ch			
3. Obese 4. Overweight (MeSH) 5. Overweight (MeSH) 6. Body weight (MeSH) 7. Body weight changes (MeSH) 9. Body weight changes (MeSH) 10. Weight gain (MeSH) 11. Weight gain 12. Weight gain 13. Weight pain 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Childhood 27. Adolescent* 28. Infan* 29. Tecaage* 30. School child* 31. School child* 32. Paediatr*		* ` '	
4. Overweight (MeSH) 5. Overweight 6. Body weight (MeSH) 7. Body weight (MeSH) 8. Body weight changes (MeSH) 9. Body weight changes 10. Weight gain (MeSH) 11. Weight gain 12. Weight gain 13. Weight gain 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. School child* 31. School child* 32. Paediatr*		·	
5. Overweight 6. Body weight (MeSH) 7. Body weight (MeSH) 8. Body weight changes (MeSH) 9. Body weight changes 10. Weight gain (MeSH) 11. Weight gain 13. Weight loss 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys			
6. Body weight (MeSH) 7. Body weight (MeSH) 8. Body weight changes (MeSH) 9. Body weight changes 10. Weight gain (MeSH) 11. Weight loss (MeSH) 12. Weight gain 13. Weight loss 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
7. Body weight changes (MeSH) 9. Body weight changes 10. Weight gain (MeSH) 11. Weight gain (MeSH) 12. Weight gain 13. Weight loss 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 34. Boys 35. Girls 36. Youth* 37. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION		C	
8. Body weight changes 10. Weight gain (MeSH) 11. Weight loss (MeSH) 12. Weight gain 13. Weight gain 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young people 40. OR/21-39 41. 20		,	
9. Body weight changes 10. Weight gain (MeSH) 11. Weight loss (MeSH) 12. Weight gain 13. Weight loss 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION		, c	
10. Weight gain (MeSH) 11. Weight loss (MeSH) 13. Weight loss 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 </td <td></td> <td></td>			
11. Weight loss (MeSH) 12. Weight gain 13. Weight loss 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Childhood 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
12. Weight gain 13. Weight loss 14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
13. Weight loss 14. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
14. Body mass index (MeSH) 15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
15. Body mass index 16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION		C	
16. BMI 17. Weight reduction 18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
17. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION		,	
18. Weight reduc* 19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
19. Overeat* 20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION		Ü	
20. OR/1-19 21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
21. Child (MeSH) 22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
22. Adolescent (MeSH) 23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
23. Infant (MeSH) 24. Child* 25. Children 26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
24. Child* 25. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION		,	
26. Childhood 27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	24.	· · · ·	
27. Adolescen* 28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	25.	Children	
28. Infan* 29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	26.	Childhood	
29. Teenage* 30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	27.	Adolescen*	
30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	28.	Infan*	
30. Schoolchild* 31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	29.	Teenage*	
31. School child* 32. Paediatr* 33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	30.	Schoolchild*	
33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	31.		
33. Pediatr* 34. Boys 35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	32.	Paediatr*	
35. Girls 36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION			
36. Youth* 37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	34.	Boys	
37. Young adult* 38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	35.		
38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	36.	Youth*	
38. Young person 39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	37.	Young adult*	
39. Young people 40. OR/21-39 41. 20 AND 40 INTERVENTION	38.		
41. 20 AND 40 INTERVENTION		Young people	
INTERVENTION	40.	OR/21-39	
	41.	20 AND 40	
42. peer support	INTE	RVENTION	
	42. peer support		

43. social support 44. psychotherapy 45. cognitive therapy 46. family therapy 47. Counseling 48. Counselling 49. group therapy 50. behavior* intervention 51. behavior* interventions 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention 60. psychological therap*		
45. cognitive therapy 46. family therapy 47. Counseling 48. Counselling 49. group therapy 50. behavior* intervention 51. behavior* interventions 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention		
46. family therapy 47. Counseling 48. Counselling 49. group therapy 50. behavior* intervention 51. behavior* interventions 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention		
47. Counseling 48. Counselling 49. group therapy 50. behavior* intervention 51. behavior* interventions 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention		
48. Counselling 49. group therapy 50. behavior* intervention 51. behavior* interventions 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention		
49. group therapy 50. behavior* intervention 51. behavior* interventions 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention		
50. behavior* intervention 51. behavior* interventions 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention		
51. behavior* interventions 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention		
 52. behaviour* intervention* 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention 		
 53. psychological intervention* 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention 		
 54. life style intervention* 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention 		
 55. lifestyle intervention* 56. life style change* 57. lifestyle change* 58. treatment 59. prevention 		
 56. life style change* 57. lifestyle change* 58. treatment 59. prevention 		
 57. lifestyle change* 58. treatment 59. prevention 		
58. treatment 59. prevention		
59. prevention		
60 nsychological theran*		
oo. payenological therap		
61. behaviour change strateg*		
62. behavior change strateg*		
63. behavior change technique*		
64. behaviour change technique*		
65. behaviour* intervention		
66. behaviour change strategy		
67. Behaviour* change*		
68. behavior modification		
69. behaviour modification		
70. behaviour therapy		
71. behavior therapy		
72. Family intervention*		
73. Parent* intervention*		
74. OR/42-73		
OUTCOMES		
75. Fitness		
76. Health service*		
77. Health education		
78. Health promotion		
79. Cogniti*		
80. Nutrition*		
81. Diet*		
82. Vegetable*		
83. Fruit		
84. Unhealthy eating		
85. Healthy eating		
86. Physical education		
87. Sedentary behaviour		
88. Sedentary behavior		
89. Physical activity		

90.	Physical inactivity	
91.	Exercise	
92.	Exercising	
93.	Exercis*	
94.	Body Mass Index	
95.	BMI	
96.	OR/75-95	
DESIGN		
97.	experimental study	
98.	intervention group*	
99.	intervention stud*	
100.	matched groups	
101.	experimental design	
102.	comparison group	
103.	control group	
104.	matched pairs	
105.	Or/97-105	
106.		
107.	controlled clinical trial	
108.	randomized	
109.	randomly	
110.	placebo	
111.	trial	
112.	"Clinical Trials as Topic"[Mesh:NoExp]	
113.	OR/106-112	
114.	animals	
115.	humans	
116.	#114 NOT (#114 AND #115)	
117.	#113NOT #116	
118.	#41 AND #74 AND #96 AND #117	