



City Research Online

City, University of London Institutional Repository

Citation: Lennuyeux-Comnene, L., Yates, J. & Gaigg, S. B. (2024). What Is Uncertainty? A Grounded Theory of the Role of Uncertainty in Anxiety in Autism. *Autism in Adulthood*, aut.2022.0085. doi: 10.1089/aut.2022.0085

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/33372/>

Link to published version: <https://doi.org/10.1089/aut.2022.0085>

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

What is uncertainty? A grounded theory of the role of uncertainty in anxiety in autism

Laura Lennuyeux-Comnene¹, Julia Yates¹ & Sebastian B Gaigg¹

Running title: **A theoretical construct of uncertainty**

¹Department of Psychology, City, University of London, London EC1V 0HB, UK

Corresponding Author:

Laura Lennuyeux-Comnene

Department of Psychology,

City, University of London

Northampton Square

London EC1V 0HB

Tel: 0208 040 8380

e-mail: laura.lennuyeux-comnene.2@city.ac.uk

Keywords: autism; anxiety; intolerance of uncertainty; uncertainty

Abstract

Background: While previous qualitative work has identified the role of intolerance of uncertainty in the development of anxiety in autism, there has been little research on what uncertainty means exactly for autistic people and/or what types of uncertainties may be particularly anxiety-provoking.

Methods: 15 autistic adults (5 women) took part in this qualitative interview study in which we probed their understanding and experiences of uncertainty and its links to feelings of anxiety. We applied a grounded theory approach to transcripts of the interviews, broadly following Charmaz's constructivist epistemology, to derive a theory of uncertainty as it is experienced by the autistic people we interviewed.

Results: From the interviews, we derived a model of uncertainty which identified three different levels of uncertainty, ranging from the certainty of the 'known', through to the relatively manageable uncertainty of the 'known unknown', to the anxiety-provoking 'unknown unknown' or that which cannot be made known. We propose in this model that anxiety can be understood as resulting from difficulties with avoiding or controlling the latter types of uncertainty through planning or information gathering.

Conclusion: Previous researchers had treated uncertainty as a unified construct. However, they may not have explored what uncertainty might mean for autistic people. We have shown in this study that not all uncertainties are experienced equally. We hope that this research will help develop a more nuanced understanding and that it constitutes the first step in disentangling anxiety from intolerance of uncertainty in autism.

Introduction

High rates of anxiety in autism have been reported in systematic reviews and meta-analyses. For instance van Steensel, Bögels, & Perrin¹ report rates of 30-50% in young people with autism, and Buck, Viskochil, Farley et al² report rates of 40-50% in adults. This is compared with anything from 2.2 to 20.9% in children and adolescents (from 6.4% in Europe, and to 18.1% in the US).^{3a}

A more recent systematic review from 2021⁴ found substantial heterogeneity in prevalence of co-occurring conditions in autism, with figures of anxiety co-occurring with autism, ranging from 0 – 82% in children and adolescents. The heterogeneity in prevalence reported here may be due to the heterogeneity of design and methods used to estimate this prevalence in the studies included in the review. An earlier meta-analysis from 2020⁵ found a much lower pooled estimate of co-occurrence of anxiety and autism of 20%. The lower pooled estimates cited here in this umbrella review could be due to the differences in diagnostic criteria, as well as the different instruments used in the studies included in the review.

Anxiety has been linked to poor quality of life for children and adults on the spectrum, as it interferes with achievement of potential in education and later employment^{6,7}. In a recent survey asking people on the spectrum what their priorities would be for future research, mental health and anxiety in particular was seen as a key area of concern⁸.

Intolerance of Uncertainty (IoU) as a construct was conceived first out of a distinction between fear and anxiety, the latter being directed at the possibility (real or imagined) of

^a It is difficult to compare the figures exactly as they change according to time frame: the last three/six/twelve months or lifetime prevalence. The figures nonetheless highlight that there is a stark difference overall.

something unpleasant happening in the future⁹. For Lidell¹⁰, anxiety was an outgrowth of vigilance as an adaptive function of awareness of potential danger. Anxiety can thus be identified as when this concern for future events is extended and maintained over a long period of time and consequently quality of life is impaired¹¹. Worry is a facet of anxiety which particularly pertains to the persistence of this concern¹². Lazarus proposed that anxiety was an emotion which was based on appraisal of the anticipatory and uncertain elements of future threats, which, importantly, were also the result of the person perceiving themselves as not having the cognitive resources (in his terms the interpretive schemata) to resolve the situation¹³. Worry and by extension anxiety, then, are related to IoU, which is characterized by thinking that all unknown future events are by definition distressing and that the preferred behaviour is therefore to avoid situations where outcomes are unknown.

IoU is defined as a feeling of stress in the face of uncertainty, and was initially postulated as a factor contributing to Generalized Anxiety Disorder (GAD) in the general population¹⁴. People who report high levels of IoU on measures such as the Intolerance of Uncertainty Scale (IoUS)⁹ find situations of uncertainty stressful, have a tendency to view such situations as inherently threatening and experience difficulty functioning in the face of uncertainty¹⁵⁻¹⁷.

Researchers have tried to identify the causes and risk factors of the high levels of anxiety in autism⁷, with an emerging consensus that IoU plays a critical role¹⁸. The majority of this work, however, has been based on the use of self-reports¹⁹.

The IoUS is a measure of how someone might feel and process uncertainty, but it is also a measure of behavioural responses to uncertainty. Ledoux and Pine²⁰ argue for two separate

neural circuits for emotional and behavioural responses to uncertainty. This might suggest that the IoUS could be conflating two different processes.

Furthermore, although the IoUS is thought to capture a single unified construct^{9,15,21}, it seems unlikely that all types of uncertainty in life are equally anxiety-inducing. For example, uncertainties involved in gambling seem qualitatively different from the kinds of uncertainties that have characterised the Covid pandemic.

Both of these points indicate a need to exercise a degree of caution regarding a possible over-reliance on self-reported measures of IoU.

Nonetheless, according to findings from studies using self-report questionnaires such as the IoUS, autistic participants consistently report greater levels of IoU^{22,23} and modelling studies show that this construct constitutes one of the strongest predictors of self-reported levels of anxiety^{18,24}. It is important to note that although self-report measures are an oft used and quick way of gathering a large amount of data, they do not come without their drawbacks. Self-report measures have been developed by, and with, non-autistic people (with some exceptions such as the ASA-A²⁵ used in our study). This means that questionnaires may not have been designed in the most accessible way for autistic people²⁶. Furthermore, a reliance on ‘validity’ and ‘reliability’ may be at the expense of ‘relevance’ for autistic people; i.e. the existing instruments may not adequately reflect the lived experience of autistic people²⁷.

However, qualitative research such as interviews do indicate that autistic adults and adolescents report that uncertain and unpredictable situations are anxiety-provoking for them and that they try to avoid them as much as possible. For instance Robertson, Stanfield, Watt, et al²⁸ conducted semi-structured interviews with autistic adults, carers and partners of

autistic adults and found that participants consistently described change and unpredictability as sources of anxiety. Parents and teachers of autistic children similarly report that uncertainties, particularly in social contexts, are often the source of distress²⁹.

Researchers investigating different interventions have shown the importance of including intolerance of uncertainty as a target for treatment for anxiety in autism. However, while previous work such as the development of the Coping with Uncertainty in Everyday Situations (CUES) intervention has focused on Intolerance of Uncertainty³⁰, the construct of ‘uncertainty’ itself remains relatively ill-defined.

In this study, we sought to explore further the kinds of uncertainty which might be more likely to cause anxiety than others for autistic individuals. Additionally, we aimed to help clarify what kinds of uncertainties may lead to anxiety and to disentangle which emotional and cognitive responses may lead to which behavioural response. Working towards a better understanding of the experiences of our interviewees may contribute to future studies aimed at unpacking mechanisms through which uncertainty may lead to anxiety. In turn, understanding what uncertainty means for and how it is experienced by autistic people in their day-to-day lives may help develop more effective support strategies for autistic people who may find uncertainty difficult. .

Thus, in this study, we aimed to explore *how autistic people conceptualise and experience uncertainty*. Thereby, we hoped to refine the definition of the construct of uncertainty, in order to investigate further the role it may play in anxiety in autism. To this end, we conducted semi-structured interviews to provide a flexible context within which the interviewer and participants could freely explore the meaning and experiences of

uncertainty. We adopted a grounded theory approach, with a constructivist epistemology³¹, which provides a systematic yet flexible approach to construct theories grounded in data³¹.

Methods

Participants

The participants were 15 autistic adults (10 male, 5 female), aged 24-71, who have been given pseudonyms in the analyses below to protect their identity. Their ethnicity was predominantly White European, apart from one participant who was of Chinese origin although born and brought up in the UK. Depending on the time of their diagnosis (ranging from early childhood to late adulthood), participants had received a diagnosis of either Asperger's syndrome, Autism or Autism Spectrum Disorder in line with the relevant DSM diagnostic criteria at that time.

To help characterise the patterns of strengths and difficulties across core diagnostic functional domains and experiences of anxiety, we asked the participants to complete the Social Responsiveness Scale (SRS-2-ASR)³² and the Anxiety Scale for Autism (ASA-A)²⁵. The scores for the SRS-2-ASR ranged from 76 to 90+, with 10 participants scoring in the 'severe' range of above 85 and the rest in the 'moderate' range. Scores for the ASA-A ranged from 17 to 44 with seven participants scoring above 28, which has been suggested to indicate clinically significant levels of anxiety. Additionally, although we did not ask for any formal medical history, during the interviews three participants mentioned they had received or were receiving treatment for anxiety, and three for depression, while two participants talked about experiencing Obsessive Compulsive Disorder (OCD). One participant also referenced a family history of ADHD and one a personal history of schizoid personality disorder. None of the participants in our sample had any identified learning disability or language impairment.

173

174 We primarily recruited participants from a database of participants who had taken part in
175 research of the Autism Research Group at City, University of London before, or through
176 word-of-mouth advertising through the researcher's social networks.

177

178 Setting

179 Due to the pandemic, and the ensuing necessary restrictions to travel and face-to-face contact,
180 all the interviews took place remotely on Zoom (n = 11), Itsi (n = 1), Microsoft Teams (n =
181 1), over the phone (n = 1) or Skype (n = 1). We recorded the interviews on a digital device
182 and the main researcher who conducted the interviews transcribed them verbatim.

183

184 Procedure

185 All participants provided written informed consent to take part in the study after receiving a
186 detailed information sheet explaining the aims of the research. The Psychology Department
187 Research Ethics Committee (ETH2021-0170) approved the study procedure, in line with
188 ethical guidelines set out in the Declaration of Helsinki.

189

190 We used a semi-structured interview approach to guide the conversation and maintain focus
191 on the core issue of interest, while providing enough flexibility to allow the participants to
192 lead the conversation while remaining both relevant and open to their experiences and
193 understanding. During the development of the interview schedule (see appendix 1), the first
194 author held informal consultations with parents of autistic people, with researchers and an
195 autistic person, in addition to the pilot participant who informally provided feedback on her
196 experience of the interview. The latter person, who wishes to remain anonymous, suggested
197 that what autistic people may want, rather than not being uncertain, was to be certain. This

prompted the main researcher to add questions in the interview schedule regarding the areas in which participants may need certainty. The main researcher then piloted the interview schedule with three parents of autistic adults, one tutor of autistic children and young people, and an autistic adult to obtain rich perspectives that might prompt further revisions to the initial draft interview schedule. We encouraged the pilot participants to give feedback on the conducting of the interview as well as on the questions. Only one autistic adult was interviewed for the pilot as the project was initially to only include interviews with adults and parents and professionals working with autistic people. However, the main researcher, after reflecting on the pilot interviews, considered that parents and professionals had a different narrative concerning what they perceived to be the experience of uncertainty by autistic people and therefore considered that it was unfeasible to aim to develop a grounded theory that would be applicable to the different experiences. Therefore, for this study we only interviewed autistic adults for the main data collection, although we note that interviewing parents and professionals working with autistic people with little or no spoken language would be worth pursuing in future studies. Another modification stemming from the pilot interviews was the order of the questions, which we changed to allow for a suitable space for a break, should participants need it. Lastly, we defined the topics which were going to be discussed more clearly at the beginning, so as to give the participants a little time to process and to give them an idea of what was to come.

The final version of the interview guide included as Appendix 1, started with broad conceptual questions (e.g. *“People apply many different meanings to the word ‘uncertainty’. When you say ‘uncertainty’ what do you mean?”*), followed by probes about the experience of uncertainty in different situations (e.g. *“Can you think of a time recently when you felt uncertain?”*). After advice from the autistic person whom we consulted in the development of

the schedule, we added the concept of certainty. Interviews lasted between 35 minutes to just over an hour and began with the researcher outlining what the participant could expect from the interview and reminding them of the key information in the participant information sheet (e.g. right to withdraw etc). We generally avoided small talk before beginning the interview as there are indications that this can make the participants feel uncomfortable rather than more at ease³³. However, the interviewer let herself be led by the participants in this respect.

Research approach and Analysis

The interviewer transcribed each interview verbatim either on the same day, or the next day. She conducted the analysis simultaneously, partly with the use of NVivo 12 pro³⁴, through a process of continuous evaluation and constant checking by testing out nascent ideas and themes with each new participant. This is known as theoretical sampling and is a key part of a grounded theory analysis and approach³⁵⁻³⁷ that develops new theory whose abstractions are derived directly from data³⁸. The term refers to both the theoretical analysis and the resulting product of the method³⁹. In this current study, we adopted a grounded theory which leant towards a constructivist approach, as described by Charmaz and Henwood⁴⁰, constructing a theory about the experiences of participants through interaction with, and interpretation of, the data in successive levels of analysis involving memo-writing, coding and drawing up of categories and diagrams.

The interviewer initially coded the transcripts line-by-line, at first adding new codes to the existing list with every new participant transcript. She then expanded, redefined, or refined the codes as she identified different themes and questioned them with repeated reading of the transcripts.

Importantly, she was not completely naïve of autistic experience or theory, as she is a researcher in autism, the parent of an autistic adult, and someone who has worked as a carer and support worker of autistic children and young people and their families. Her background helped to sensitize her approach⁴¹ and to *‘be more sensitive to concepts in data but also enable them to see connections between concepts’* (Corbin & Strauss ⁴¹, p79). It may also have influenced how she interpreted statements where there might have been ambiguity. To counter this, as part of the continuous theoretical sampling, the interviewer checked her own interpretations and thoughts during, as well as after, the interviews. The other researchers, while being less involved in the analysis, nonetheless helped shape and refine it. The first is a qualitative researcher who has no autism experience but was able to guide the main researcher in her methodology and the second is a researcher, who although having no personal or lived experience of autism has been a researcher in autism for many years and as such could provide guidance regarding theoretical underpinnings of the analysis. Thus, we adopted grounded theory in this study as a process of co-construction⁴², which combines a form of informed induction (the formulation of a theory based on observation and reflection) with abduction (deciding on a ‘best’ description of the data from amongst a number of possible different explanations).

In a final stage of the analysis, we sent a brief summary of the theoretical framework that was derived from the interviews to all participants for member checking. Generally, the participants responded that the theory did resonate with them, with some providing minor clarifications that were incorporated into the final formulation of the theory.

273 Findings

274 In the findings set out below, we will first describe the themes and resulting categories
275 regarding how the participants conceptualised and experienced uncertainty. In contrast to a
276 thematic analysis where one might seek to find discrete themes, in grounded theory these are
277 interrelated as they are progressive building blocks for the eventual construction of the theory
278 itself.

279

280 Part 1: Themes and Categories

281 What is uncertainty?

282 When exploring how the participants experienced uncertainty, the main researcher
283 increasingly found that participants conceptualised it as all that was unknown, and drew
284 important distinctions between different types and levels of unknowns. They can be
285 summarised as follows:

286

287 Not knowing what is going to happen, what things are going to be like, what the outcome of
288 one's decisions might be.

289 For some, uncertainty was primarily related to not knowing what was going to happen or
290 what the outcome would be of one's decisions and behaviour. For instance, Sylvia, during
291 the pandemic when things were likely to be cancelled at the last minute felt "*really uncertain,*
292 *even up to the morning [she] went [anywhere], whether [she] was going to be able to go.*"

293 What made it uncertain was that unexpected changes could happen at the last minute, not
294 giving her enough time to plan.

295

296 For others, uncertainty was not knowing what things were going to be like, more than
297 whether or not they would happen. For instance, Jeremy, when planning a holiday, would do

298 a lot of research prior to going. He would look things up, including on StreetView, yet
299 “would still retain a sense of ...not actually knowing what it was actually going to be like,
300 when [he] got there”. For Jeremy, this was compounded by his difficulty anticipating how he
301 would or should be feeling in any given situation, saying: “I think if I have, if the, uhm,
302 autism thing has any effect on me, really, is that I’m never sure what I’m thinking (...) I don’t
303 know, what I feel in any particular situation”. For others, not knowing what something could
304 be like could be exacerbated by increased sensory sensitivities. For instance Rachel, who
305 needed to know if somewhere was going to be noisy. Note that she did not phrase it in such
306 terms, nor did she underline that this was a way in which she may have been different from
307 non-autistic people.

308

309 In some cases, uncertainty was epitomised by small, unexpected changes to their routine. The
310 unknown here is more nebulous: going from the stability of what is known (their routine) to
311 the less secure unknown (a new way of doing things or even a different day for doing them).
312 For instance Stuart found it very difficult to adapt to changing his shopping day from a
313 Wednesday to a Thursday, when his wife suggested it. This was despite the fact that his
314 unease and resistance weren’t “based on any reality” or on “any fear that anything was
315 going to happen”. The uncertainty resided on his not knowing what the alternative would be
316 like, what he would do on the Wednesday, now that he was not going shopping, or if his
317 experience of shopping on a Thursday would be different, at a visceral, rather than a rational
318 level. Change was inherently uncertain, although exacerbated by not being able to process
319 the change, for instance if the change came about out of the blue.

320

321 For participants who did not have solid foundations (a permanent home or income),
322 transitions from a known to an unknown, on a grander scale were also deeply unsettling.

323 Francis, for example, when made redundant and having to start a new job, was very anxious
324 about “*the fact that [he didn’t] know where the job [was], where [he was] going to be*
325 *relocating*”.

326

327 People as unpredictable

328 Another aspect of ‘now knowing what was going to happen’ was specific to social situations
329 and interactions, most often with non-autistic people, an example, perhaps, of a double-
330 empathy problem⁴³. The autistic interviewees fearing to be misunderstood by , as well as not
331 always understanding, non-autistic people . The participants expressed that they found non-
332 autistic people as inherently confusing and unpredictable. For Fred, it was the
333 unpredictability in any social interaction which was uncertain: “*But you don’t know what will*
334 *happen. I mean someone could say something that - or I could say something that - offends*
335 *someone and then it goes a bit wrong, and I feel depressed about the world and that kind of*
336 *thing*”.

337

338 For Rachel, this was because they were seen as inherently unreliable – “*you never quite*
339 *know if things are going to be as they say*” – meaning if situations were going to happen the
340 way that non-autistic people said that they would. This was echoed by John, for whom non-
341 autistic people’s behaviour was often unpredictable, and therefore difficult to understand:
342 “*Oh, for autistic people, yeah, because they’re completely unpredictable.*”

343

344 Participants also frequently commented on the fact that the unpredictable nature of other
345 people was often compounded by social rules to which non-autistic people seem to be privy
346 in an unconscious way, but that are not intuitive to many autistic people who have to learn
347 them more consciously instead. For example, according to Steven:

348 *“rules are fluid and there’s some part of a neurotypical brain that does them, and the*
349 *[stories] that society tells about itself are mostly false, and yet people operate as if*
350 *they were true, to greater or lesser degrees - while ignoring them when it suits them”*

351

352 Unsure of what to do

353 For other interviewees, uncertainty meant not knowing what to do, or whether they had made
354 the right decision. Rachel experienced uncertainty in this context as both not knowing if she
355 had made the right decision and not knowing what to do next: *“Am I doing the right thing?*
356 *Am I better still staying, although things were not good? (...) I’m putting myself, not only*
357 *myself but my three children ... am I putting my three children at more risk?”*.

358

359 Another expression of this uncertainty about *what to do* is an avoidance of making decisions.
360 For example, John explained that he had many pairs of the same headphones he liked and
361 trusted so that he would not be in a position of having to choose another type, whereas
362 Amelia explained that she always had the same lunch so that she did not have to think about
363 what to choose. The uncertainty in these contexts was expressed as not knowing what would
364 be the right choice of product to suit their needs, as well as the act of choosing taking up
365 more cognitive resources than they were prepared to spare. According to John, for instance,
366 what distinguished him from the way non-autistic people might deal with situations, is that he
367 worked better if he could be in ‘flow’ and was not disrupted or if his ‘cognitive processes’
368 were not wasted on matters of less interest, stating: *“if you’ve got a lot of things that are*
369 *exactly the same, you don’t have to think about them (...) you can use your mind, your*
370 *cognitive processes, to think about other things”*.

371

372

373 Uncertainty as pervasive

374 Finally, the meaning of uncertainty for participants also often comprised an element of
375 something that is omnipresent and unavoidable. As Steven put it, the “*unbounded unknown*”:
376 it was everywhere, anything situated in the future and all around. For Stuart, “*anything that*
377 *[was] in the future [was] uncertain*”. For Sylvia, life itself was uncertain: “*I suppose it’s the*
378 *whole of life [laughs] (...) That’s just what life is, uncertainty.*”

379

380 **In summary:** Participants largely defined uncertainty as *not knowing* something in different
381 situations and contexts. Underlying it all was a sense of powerlessness: the interviewees often
382 explained that they would try to gather as much knowledge and information as they could,
383 but there were always some hidden unknowns that couldn’t be resolved (at least not in time to
384 be useful). These hidden unknowns were the unexpected, the uncontrollable or unpredictable
385 and were the greatest source of anxiety.

386

387 **Experience of Uncertainty**

388 Uncertainty as anxiety-provoking

389 Some, like George, experienced uncertainty as something physical, that from the outside is
390 akin to the beginnings of a panic attack: “*I can feel it (...) in my stomach (...) there are other*
391 *physical symptoms like my palms might sweat more*”. Whereas for Maria, the anticipation of
392 stress and anxiety made the reaction to uncertainty much worse: “*uncertainty is sort of*
393 *whether doing [this] is going to bring up those unpleasant emotions in me*”.

394

395 A number of participants experienced uncertainty as a persistent worry about making or
396 having made a mistake which would only be assuaged with validation or reassurance. For

397 Arthur, it was important to know that he had done or was doing the right thing, and for this he
398 needed feedback and communication:

399 *“when you’re doing it remotely, all you can see is just the status on the dashboard*
400 *and you can’t see whether the computer’s got stuck or (...) yeah, it’s things like that*
401 *which kind of panicked me a few times, I have to admit (...) they didn’t even, respond,*
402 *kind of thing (...). It really knocks your confidence”.*

403 Uncertainty made worse by lack of control

404 Fred felt more at ease if he could opt out of an event: *“I’d achieve it [overcome his anxiety*
405 *and attend the event] almost, yeah, just by never putting myself in a position where I just*
406 *have to do it.”* What worked for him was to *“just slowly introduce myself to things that make*
407 *me uncomfortable”*, which could be interpreted as keeping control by deciding how to engage
408 with the unknown.

409

410 For John, control was important in the context of aspects of communication where he found
411 the anticipation of the unexpected stressful. He therefore preferred emails – which allowed
412 him to choose when and how to respond – rather than phone calls, which could happen at any
413 time, with no opportunity to prepare:

414 *“It’s why a lot of autistic people don’t like using the telephone. Because the*
415 *telephone rings and you’re not expecting it, so you’re going to answer it. They*
416 *much prefer emails because you look at the email, you don’t have to open it*
417 *straight away, you can open it when you want to open it”.*

418

419 As a committed planner, Susan tried to prepare for every eventuality (even those which may
420 not seem likely at the time): *“It’s not that I think that the plane will crash but I want to know*
421 *what happens if it does; I will think about it, have a plan”*. This is a process of regaining

422 control by making the unknown known, preparing for what might happen so as not to be
423 taken by surprise.

424

425 Uncertainty as a challenge

426 It is worth mentioning here that not all uncertainty was thought of as negative or problematic.

427 John relished puzzles and ‘*complex analytical problems*’ which he saw as a more positive

428 form of uncertainty, and one he could, and often would, choose to engage in.

429

430 Amelia saw uncertainty as inherently stressful, as she felt that it meant “*that [she did not]*

431 *have complete control of the quality of [her] life*” and that there were “*decisions that were out*

432 *of [her] hands*”. Nonetheless, she also felt that “*whereas if you have a bit of uncertainty, you*

433 *[would] have a bit more stress in your life, but there [would be] potential for your life, for it*

434 *to be better*”

435

436 This was emphasized by Francis, who liked “*not knowing what [he was] going to do,*

437 *somehow, because it [gave him] a bit more choice and [he felt] more in control, when [he*

438 *felt] that options were open to [him]*”

439

440 **In summary:** For all the participants uncertainty was at the very least a stressful experience.

441 The kind of uncertainty that participants discussed as being particularly stressful and anxiety-

442 provoking was characterized by a lack of control. For some, though, a degree of uncertainty

443 was necessary, could also be useful, and was even sometimes pleasurable, as long as they

444 retained their agency in how to engage with it.

445

446

447 **Managing uncertainty and the need for certainty.**

448 Following informal feedback from an autistic friend who mentioned the importance for her of
449 needing certainty, the researcher also asked participants to consider how they understood and
450 experienced certainty. This helped to develop the theory of uncertainty as a process of
451 moving away from and then back towards the safety of the known, the certainty.

452

453 Conceptualising certainty

454 Interestingly, participants found this section harder than they had anticipated, and often talked
455 about ‘certainty’ as the absence of ‘uncertainty’ rather than having a clear conceptualisation
456 of it in its own right.

457

458 For Rachel, being certain meant “*being sure that something’s definitely going to happen*”
459 which meant that “*you can plan for it*”. When Henry thought about certainty, he thought
460 about things happening “*how you expect*” and things he felt “*that you have control over*”.

461 Certainty also meant something definitive, for Francis:

462 “*Certainty is when you know (...) it’s going to happen this way, whether comforting*
463 *or not (...), you know what to action in advance. (...) It allows me to predict how I can*
464 *minimise the impact of anything*”.

465

466 Francis also felt less anxious about the uncertainty around not knowing either the content or
467 the outcome of an exam if he had had time to prepare and was told what to revise: “*playing*
468 *the piano knowing exactly what’s required for the exam (...) to be able to prepare in advance*
469 *- and I know that certainty, that they’re going to test me on that.*”

470

471 Here, underlying it all was the notion that having certainty equated with what they *needed* to
472 know. For Rachel, the things she needed to know were: “*what time do you have to be there,*
473 *how many people, if it’s a meeting; it’s less likely now (...) if it’s going to be a noisy*
474 *environment, or a quiet environment*”. Certainty was confidence in the knowledge, the
475 reliability of the information and the sense of control and agency this gave them over
476 unfolding events.

477

478 Certainties and knowns as anchors in people’s lives

479 The participants’ reliance on routine and established patterns was interpreted as sticking to
480 what they know and have already experienced or staying in the ‘known’, their place of safety.
481 For instance, George had a fairly set routine, and always ate the same foods at the same time,
482 and went for the same walks every day. He worked “*very hard to make sure everything’s*
483 *pretty certain, around [him].*”

484

485 For John, knowing what was going to happen was a way for him to be able to switch off and
486 concentrate on what he was interested in. Certainty of what was going to happen meant that
487 there would be no surprise: “*you do everything absolutely by a routine, because if you’ve got*
488 *routine, you’ve got an expectation of certainty*”.

489

490 Having an anchor, a certainty to hold on to, was something they needed to counter their
491 anxiety over things being out of their control. For Amelia, for example, who was
492 unexpectedly made redundant and had to quickly find somewhere else to live, changes which
493 were imposed by others left her with a feeling of not having control and agency in her life,
494 and meant that she valued certainty as:

495 *“things that can’t be changed by other people, basically. (...) so I have complete*
496 *control, or, not necessarily me, but I don’t have a lack of control over it, because it’s already*
497 *definite, what’s going to happen.”*

498

499 Continuing this theme of anchors and structures, guidelines and rules of behaviour could also
500 provide a framework. This ‘known’ could be generalised and could make unknown situations
501 easier to manage. For instance Henry enjoyed going to work with other people, because at
502 work he and his colleagues have a purpose. While he would avoid parties with free,
503 structureless interactions, he enjoyed going to concerts, as there, too, everyone had a purpose
504 and focus.

505

506 Sometimes this guideline was a trusted person, organisation or family member. Friends and
507 family provided support for Francis, who needed reassurance and validation both from his
508 existing friends (known) and his new colleagues who could show him the ropes in his new
509 job. Susan, on the other hand, would feel able to do things she might not otherwise, as long as
510 she had her daughter with her. The researcher interpreted this as having a known as an anchor
511 and source of knowledge that helped one to navigate the unknown.

512

513 Certainties and constants helped the participants deal with uncertainties in their everyday life.
514 Francis talked about routines (for example at work or school), and having a home and,
515 importantly, a network of friends as being his ‘structure’ which gave him a sense of security:

516 *“because at least I know that something was in place, I felt that it was a bit*
517 *under control and that, knowing that I have a place to go to and then, that I*
518 *have a job (...) It was just nice to have everything that fitted like a jigsaw puzzle”.*

519

For Susan, knowing where things were going to happen was important, as a sense of place was a certainty that she needed: “*because they’re known (...); they’re constant in a changing world, I suppose*”.

In summary: Certainty consisted of anchors and ‘knowns’ which helped maintain a degree of control in the process of managing uncertainty and ultimately arriving at a state of knowing. The more the various aspects of their lives were certain, the more they knew and could rely on it in any given situation, and the more secure they felt.

In other words, certainty was a known that the participants could rely on and depend upon to help them navigate the more stressful unknown. Predictability and knowns helped create a sense of being safe, secure, and ultimately at peace, or, as John put it, ‘*equanimity*’. Not being taken unawares gave them time to process and, by being prepared, exercise agency in their life and in a sense control their environment.

Part 2: A Grounded Theory of Uncertainty

[Insert Figure 1 here]

Three degrees of knowns

The meaning of uncertainty for participants, therefore, was very closely linked to that which is unknown. Different types of unknowns were experienced as anxiety-provoking to varying degrees. This model of uncertainty is illustrated in **Figure 1**, which represents uncertainties

that are increasingly anxiety-provoking as a series of concentric circles. The different degrees and types of knowns and unknowns are described in more detail below.

The analysis also suggested that participants seek to mitigate these uncertainties by reducing the unknown through information-gathering or the adherence to routines. This was interpreted as a way of regaining control over the uncertainty. When participants experience a lack of such control over the unknown, feelings of anxiety and distress are typically severe. We therefore propose the framework set out in **Figure 2** as a theoretical model to understand the causal relationship between uncertainty and anxiety in autism (and possibly the general population).

[Place Figure 2 here]

A key feature of the model is the prediction that uncertainty-related anxiety is dependent on the level of perceived control/agency that participants have over the unknown. In this context the model distinguishes between the following different degrees of knowns and unknowns (see also **Figure 1**):

Knowns

The knowns are certainties: the constants in a changing world. These provide stability and security and also provide a toolkit of techniques and opportunities to navigate situations of uncertainty. These are Francis' structure, Susan's plans, and John's and George's routines.

570 Known unknowns

571 The known unknowns are situations with limited certainties, but for which the parameters of
572 the uncertainties are known, or for which one retains a degree of control. This can range from
573 situations such as exams, gambling with known ratios and risks, uncertain situations from
574 which one can escape (e.g. a party which one can decide to leave), or situations which are
575 avoidable or that one can carefully plan and prepare for (e.g. what the weather is going to be
576 like when travelling). This type of known unknown is exemplified by Francis' exams,
577 George's investments as well as Susan relying on her daughter to take her to new places,
578 Henry preferring the structured social interactions of an office environment, or Fred building
579 slowly on previous success to get to know this unknown.

580

581 Unknown unknowns

582 The unknown unknowns are those situations over which one has little if any control, for
583 which one cannot plan or prepare, and which are unavoidable. These prove to be the most
584 anxiety-provoking situations and can range from unexpected events, unplanned changes or
585 cancellations, events for which relevant details are very loosely specified (timing, what
586 exactly is involved etc), or social situations with limited structure or specific goal. Such
587 situations are particularly challenging when there are limited opportunities for escape or
588 avoidance and no guidance regarding possible outcomes or processes. These types of
589 situations range from the (then) current situation of living through a pandemic and not
590 knowing if things are going to be cancelled, to train cancellations and the inherent
591 unpredictability of people.

592

593

594

Uncertainty and anxiety

The construct of uncertainty as different degrees of ‘known’ therefore lends itself to the beginning of an explanation regarding its relationship to anxiety in the following manner: certainty, or knowns, represent a place of safety and John’s *‘equanimity’*. As this ‘known’ becomes increasingly ‘unknown’, anxiety increases too. What became clear from the interviews is that the participants who openly expressed that they disliked and avoided uncertainty as well as discussing the fact that they suffered from anxiety (and in some cases had undergone therapy to deal with their anxiety) were likely to need less of an ‘unknown’ before becoming anxious. They were more likely to view this ‘unknown’ as either dangerous or negative, and catastrophise by imagining the worst-case scenarios, whereas others were perhaps more open to exploring the ‘unknown’ as long as there was no loss of control or agency (i.e. choice).

Discussion

The main researcher interviewed fifteen autistic people in order to explore the way in which autistic people conceptualise and experience uncertainty. The main theme that recurred in people’s narrative was that ‘uncertainty’ was ‘not knowing’. This ‘not knowing’, however, was not always experienced as anxiety-provoking. Rather, ‘not knowing’ became a source of anxiety only when it felt difficult to plan for, or control. In this study, we refined the construct of uncertainty and its relationship to anxiety to a model including three different levels of knowns: ranging from the certainty of what is ‘known’, through the relatively manageable uncertainty of the ‘known unknown’, to the anxiety-provoking ‘unknown unknown’, which is difficult to avoid or manage through planning or information-gathering. There were aspects of this relationship which could be unique to autism, such as their need

for certainty in terms of environment, timing and their difficulty in making predictions in their relationships with non-autistic people.

Indeed, autistic people tend to score consistently higher on measures of intolerance of uncertainty (however this is defined) and measures of anxiety (e.g. ^{6,7,44-46}. Boulter, Freeston, et al's framework⁴⁷), indicated that although there is a relationship between IoU and anxiety in both typically developing and autistic children, this relationship is stronger in autistic children. Autistic people also score more highly on questionnaire measures of sensory processing differences and assessments measuring Rigid and Repetitive Behaviour (RRB), which constitute facets of the criteria for a diagnosis of autism. RRB includes an '*insistence on sameness*' and sensory processing differences as diagnostic descriptors⁴⁸, and research examining the relationship between RRB and anxiety consistently finds a positive correlation in autistic children and adults⁴⁹⁻⁵². Furthermore, in their study examining the relationship between sensory processing differences and RRB, Wigham and colleagues²⁴ found that there was evidence for a direct connection between sensory under-responsiveness and both the repetitive motor behaviours and the insistence on sameness components of RRB, and that IoU acted as a mediator between autism and anxiety. These differences in interaction with the environment could have an impact on how much uncertainty there may be to deal with in the world that autistic people inhabit, above and beyond what non-autistic or neurotypical people may be exposed to.

Research into the role of uncertainty in anxiety in autism has thus far focused almost exclusively on the Intolerance of Uncertainty Scale and its relationship to measures of anxiety and different types of emotional processing^{14,18,45}. One of the potential pitfalls of self-report measures is that for different populations or samples the nature of uncertainty is not

defined or explored in any specific detail. Additionally, what the questionnaires and the analyses that explore relationships between them cannot say, is *why* autistic people score highly on these measures.

The Intolerance of Uncertainty Scale short version⁹ in effect consists of two subscales: Prospective IoU measures the extent to which people are anxious about the future, have a need for predictability and seek information to increase certainty, whereas Inhibitory IoU measures behavioural responses to uncertainty by measuring the extent to which people avoid situations of uncertainty and experience paralysis in the face of it⁵³. As well as exploring the participants' responses to uncertainty, this research sought to clarify further the reasons for being anxious about the future and the need for predictability and information, helping to disentangle which uncertainties might lead to which behavioural responses and why.

By adopting a grounded theory qualitative approach, the present study makes an important contribution to the literature by refining the construct of uncertainty in terms of different levels of 'unknown' that are distinguished on the basis of the level of perceived control or agency that individuals can exercise in reducing uncertainties. Conceptualised in this way, the relationship between uncertainty and anxiety can be understood in terms of such levels of perceived control, whereby uncertainties that are difficult to control or escape from are experienced as distressing and anxiety-provoking, whilst uncertainties that can be controlled are not (or at least less anxiety-provoking).

Implying a lack of control as an important mechanism linking IoU and anxiety resonates with some earlier literature about the role of the locus of control in anxiety. Mandler and Watson⁵⁴ and Watson⁵⁵ hypothesised that if people perceive events that may affect them as being

outside of their control, they are more likely to feel anxious. To this Abramson added that if one's own actions were perceived as having no effect on the external environment, then a sort of resigned 'helplessness' would ensue, and no further action would be taken to remedy a problem perceived as unsolvable⁵⁶. Bandura⁵⁷ looked at the extent to which expectations of success were matched with estimations of self-efficacy. More recently Weems and Silverman⁵⁸ integrated these earlier models by conceptualising anxiety as different levels of discrepancy between control (actual or perceived; internal or external) and our perceived capacity for doing anything about it: a maladaptive response would stem from a dissonance between actual power and the reality of one's capacity to effect change (either an over- or underestimate).

With this model of uncertainty proposed in the current study, we posit that it is not just the perception of a lack of control which makes uncertainty more anxiety-provoking, but actual control over those resources which may help alleviate it – be they the anchors of the familiar (routine, family and other certainties and knowns), sources of information, or escape routes and choices. Knowledge enables them to prepare for eventualities and make informed decisions to suit their needs, thereby providing them with a degree of control.

In this research, we found that the autistic participants conceptualised uncertainty as two different types of external locus of control. The first type was predictive, and therefore future-orientated. If the future was unpredictable, then it needed to be controlled, through planning, routine, structure etc, where possible.

In their focus group study with young autistic adults and people working with young autistic adults, Trembath and colleagues⁵⁹ found that both professionals and autistic adults

themselves identified ‘anticipation’ of an unknown event (either in terms of timing or the event itself) as being a significant trigger for anxiety. This concurred with Hodgson and colleagues’ focus group study⁶⁰ with mothers of autistic school-aged children, which also found that unexpected events and situations were seen as anxiety-provoking.

In the current study, too, for most participants, not knowing what might happen in the future or what it would be like represented the most anxiety-provoking aspect of uncertainty. They tried to alleviate this anxiety by planning for eventualities so that an idea of the unknown would already be formulated and envisaged. Dealing with uncertainty meant either accepting the future as an unknown and making as much as possible known, or exercising control by being prepared or relying on known certainties.

The second type of locus of control was more related to self-efficacy and self-awareness. A number of participants reflected on how uncertainty used to be more difficult to manage when they were younger. One of the strategies used by parents and teachers in the Hodgson, Freeston, Honey et al⁶⁰ study involved exposing the children to the idea of the unexpected. This resonated with the experience of the interviewees, who found that along with a growing awareness and acceptance of themselves, what had helped was gradual exposure to situations and demands, providing them with a bank of experiences on which to draw to help them deal with challenges in their current and future lives. It is undeniable that age can often bring greater material independence and with it, agency and control over the circumstances in one’s life.

A related concept is that of the locus of evaluation⁶¹. This can either mean, in a psychotherapeutic relationship, where the locus of evaluation might lie (usually with the

client) or, more generally, locus of evaluation as it pertains to personality organization. The latter refers to emphasis given by the individual to a source of information, either internal or external to the self, which is then used to form an attitude towards the self⁶¹. It is possible that there was a sense of distrust of self-evaluation in some of the participants, particularly for Jeremy who had difficulty in understanding how he felt, or how he ought to feel in any given situation. Steven, on the other hand, felt that he wasn't quite able to fit in with unknown rules he felt that non-autistics inherently 'knew' and yet changed seemingly in a haphazard manner.

Increasingly, autistic people are beginning to see 'their' autism as a key part of their identity⁶². It has been proposed that the minority stress model, originally designed to investigate the effect of social stigma on the mental health and wellbeing of people of diverse sexual and ethnic identities, could also apply. The stressors include victimization and discrimination, physical concealment of autism, as well as expectation of rejection and internalized stigma: all potentially contributing to psychological distress. Some participants in this study did indicate that they expected a social interaction to go wrong (e.g. Fred) and it is possible that they could have internalized that the 'fault' somehow resided in them. However, when the participants discussed their diagnosis and indeed their identity as autistic people, it was largely positive, some (e.g. John) even stating that it is through a process of better self-understanding that they were better able to cope with stress and uncertainty now.

Limitations

It is possible that the fact that the study was advertised as a study on the role of uncertainty in anxiety may have biased the sample towards participants who had an interest in anxiety – either through their own experience of it, or through personal connections with it. We

collected some questionnaire data in order to verify that the sample was a representative one of the autistic community. The percentage of the participants who scored at or above threshold on the ASA-A scale was 40%, which is around what we might expect for anxiety in a sample of autistic adults (e.g. van Steensel et al¹; Buck et al²).

This was not participatory research insofar as the autistic community was not consulted regarding the general topic of the research, nor did we seek advice on the method of analysis. However, we did try to ensure, by using a grounded theory approach which is, as the name indicates, grounded in the data, and by sending them summaries of our findings for 'checking' before finalising our analyses, that our findings were a true reflection of the experience of our participants. Future research could involve autistic people and, where appropriate, their family and/or carers or advocates, at all stages of the research, including the design of the research protocol, and choice of analytical approach.

Because this study involved interviewing autistic people one-to-one in order to learn about experiences first-hand, we only interviewed autistic people who were able to express themselves orally, and meaningfully respond to the questions without support. This is a limitation to this research. A possible follow-up to this study, therefore, would be to explore ways in which autistic people who do not express themselves verbally with ease could nonetheless be included and their experiences of uncertainty be explored in different ways, such as photovoice⁶³

Conclusion

The in-depth analysis of the interviews in the current study and the subsequent development of a grounded theory conceptualised uncertainty as different levels of unknowns, and identified the issue of control as an important mediating factor in experiencing uncertainty as

anxiety-provoking. Planning, preparing and gradual exposure are all examples of exercising control over the unknown.

This is an exploratory study with a relatively small sample. Acknowledging the limitations of the study, we hope that a better understanding the different types of uncertainty which might be anxiety-provoking will help foster further research on how increasing agency, self-understanding and confidence in making choices may help improve well-being for autistic people. It is possible that ensuring people have a degree of control over their life and decisions that are made about it, and giving them time to process and resources to exercise their agency, may also help reduce anxiety.

Acknowledgements

Thank you to all our participants for sharing their views.

Author contributions

Laura Lennuyeux-Comnene (LLC) conceived of the idea as part of her PhD thesis at City, University of London, which was supervised by Dr. S.B.Gaigg (SBG). LLC designed the interview protocol with support from Dr J. Yates (JY) and SBG, with additional support from personal acquaintances (parents of autistic adults and an autistic adult). LLC recruited participants, and analysed the data with support from JY. LLC wrote the findings up as part of her dissertation. All authors contributed to the final manuscript and approved the final version.

Conflict of interest

The authors have no conflicts of interest to declare.

Funding statement

The authors received funding from City, University of London to compensate the participants for their time and to thank them for their contributions.

References

1. van Steensel FJA, Bögels SM, Dirksen CD. Anxiety and quality of life: clinically anxious children with and without autism spectrum disorders compared. *J Clin Child Adolesc Psychol.* 2012;41(6):731-738. doi:10.1080/15374416.2012.698725
2. Buck TR, Viskochil J, Farley M, et al. Psychiatric comorbidity and medication use in adults with autism spectrum disorder. *J Autism Dev Disord.* 2014;44(12):3063-3071. doi:10.1007/s10803-014-2170-2
3. Kent R, Simonoff E. *Prevalence of Anxiety in Autism Spectrum Disorders.* Elsevier Inc.; 2017. doi:10.1016/B978-0-12-805122-1.00002-8
4. Bougeard C, Picarel-Blanchot F, Schmid R, Campbell R, Buitelaar J. Prevalence of Autism Spectrum Disorder and Co-morbidities in Children and Adolescents: A Systematic Literature Review. *Front Psychiatry.* 2021;12:744709. doi:10.3389/fpsyt.2021.744709
5. Hossain MM, Khan N, Sultana A, et al. Prevalence of comorbid psychiatric disorders among people with autism spectrum disorder: An umbrella review of systematic reviews and meta-analyses. *Psychiatry Research.* 2020;287:112922. doi:10.1016/j.psychres.2020.112922
6. van Steensel FJA, Bögels SM, Dirksen CD. Anxiety and Quality of Life: Clinically Anxious Children With and Without Autism Spectrum Disorders Compared. *Journal of*

- 816 *Clinical Child and Adolescent Psychology*. 2012;41(6):731-738.
817 doi:10.1080/15374416.2012.698725
- 818 7. South M, Rodgers J, Van Hecke A. Anxiety and ASD: Current Progress and Ongoing
819 Challenges. *Journal of Autism and Developmental Disorders*. 2017;47(12):3679-3681.
820 doi:10.1007/s10803-017-3322-y
- 821 8. Cusack, J. & Sterry, R. Your questions: Shaping future autism research. In: ; 2016.
- 822 9. Carleton RN, Norton MAPJ, Asmundson GJG. Fearing the unknown: A short version of
823 the Intolerance of Uncertainty Scale. *Journal of Anxiety Disorders*. 2007;21(1):105-117.
824 doi:10.1016/j.janxdis.2006.03.014
- 825 10. Liddell H. The role of vigilance in the development of neurosis-Anxiety. *Ed P Hoch, J*
826 *Zulin, New York*. Published online 1964:183-196.
- 827 11. Spielberg CD. *Anxiety and Behavior*. Academic Press; 1966.
- 828 12. Dugas MJ, Gosselin P, Ladouceur R. Intolerance of uncertainty and worry: Investigating
829 specificity in a nonclinical sample. *Cognitive Therapy and Research*. 2001;25(5):551-
830 558. doi:10.1023/A:1005553414688
- 831 13. Lazarus RS. Emotion and cognition; with special reference to anxiety. *Anxiety; Current*
832 *trends in theory and research*. Published online 1972.
- 833 14. Boulter C, Freeston M, South M, Rodgers J. Intolerance of uncertainty as a framework
834 for understanding anxiety in children and adolescents with autism spectrum disorders.
835 *Journal of Autism and Developmental Disorders*. 2014;44(6):1391-1402.
836 doi:10.1007/s10803-013-2001-x

- 837 15. Buhr K, Dugas MJ. The Intolerance of Uncertainty Scale: psychometric properties of the
838 English version. *Behav Res Ther.* 2002;40(8):931-945. doi:10.1016/s0005-
839 7967(01)00092-4
- 840 16. Buhr K, Dugas MJ. The role of fear of anxiety and intolerance of uncertainty in worry: an
841 experimental manipulation. *Behav Res Ther.* 2009;47(3):215-223.
842 doi:10.1016/j.brat.2008.12.004
- 843 17. Laugesen N, Dugas MJ, Bukowski WM. Understanding adolescent worry: the application
844 of a cognitive model. *J Abnorm Child Psychol.* 2003;31(1):55-64.
845 doi:10.1023/a:1021721332181
- 846 18. Maisel ME, Stephenson KG, South M, Rodgers J, Freeston MH, Gaigg SB. Modeling the
847 cognitive mechanisms Linking autism symptoms and Anxiety in adults. *Journal of*
848 *Abnormal Psychology.* 2016;125(5):692-703. doi:10.1037/abn0000168
- 849 19. Jenkinson R, Milne E, Thompson A. The relationship between intolerance of uncertainty
850 and anxiety in autism: A systematic literature review and meta-analysis. *Autism.*
851 2020;24(8):1933-1944. doi:10.1177/1362361320932437
- 852 20. LeDoux JE, Pine DS. Using neuroscience to help understand fear and anxiety: a two-
853 system framework. *American journal of psychiatry.* Published online 2016.
- 854 21. Carleton RN. The intolerance of uncertainty construct in the context of anxiety disorders:
855 Theoretical and practical perspectives. *Expert review of neurotherapeutics.*
856 2012;12(8):937-947.

- 857 22. Jenkinson R, Milne E, Thompson A. The relationship between intolerance of uncertainty
858 and anxiety in autism: A systematic literature review and meta-analysis. *Autism*.
859 2020;24(8):1933-1944. doi:10.1177/1362361320932437
- 860 23. Vasa RA, Kreiser NL, Keefer A, Singh V, Mostofsky SH. Relationships between autism
861 spectrum disorder and intolerance of uncertainty. *Autism Research*. 2018;11(4):636-644.
862 doi:10.1002/aur.1916
- 863 24. Wigham S, Rodgers J, South M, McConachie H, Freeston M. The Interplay Between
864 Sensory Processing Abnormalities, Intolerance of Uncertainty, Anxiety and Restricted
865 and Repetitive Behaviours in Autism Spectrum Disorder. *Journal of Autism and*
866 *Developmental Disorders*. 2015;45(4):943-952. doi:10.1007/s10803-014-2248-x
- 867 25. Rodgers J, Farquhar K, Mason D, et al. Development and Initial Evaluation of the
868 Anxiety Scale for Autism-Adults. *Autism in Adulthood*. 2020;2(1):24-33.
869 doi:10.1089/aut.2019.0044
- 870 26. Stacey R, Cage E. “Simultaneously vague and oddly specific”: Understanding autistic
871 people’s experiences of decision-making and research questionnaires. *Autism in*
872 *Adulthood*. Published online 2022.
- 873 27. Jones SC. Measuring the Wrong Thing the Right Way? Time to Rethink Autism
874 Research Tools. *Autism in Adulthood*. 2022;4(2):104-109. doi:10.1089/aut.2021.0050
- 875 28. Robertson AE, Stanfield AC, Watt J, et al. The experience and impact of anxiety in
876 autistic adults: A thematic analysis. *Research in Autism Spectrum Disorders*. 2018;46:8-
877 18. doi:10.1016/j.rasd.2017.11.006

- 878 29. Goodwin, J., Plant, A., Henry, A., Freeston, M. and Rodgers, J. Living with Intolerance
879 of uncertainty: Experiences from families of autistic children. In: ; 2017.
- 880 30. Rodgers J, Goodwin J, Parr JR, et al. Coping with Uncertainty in Everyday Situations
881 (CUES©) to address intolerance of uncertainty in autistic children: study protocol for an
882 intervention feasibility trial. *Trials*. 2019;20(1):385. doi:10.1186/s13063-019-3479-0
- 883 31. Charmaz K. *Constructing Grounded Theory*. 2nd edition. Sage; 2014.
- 884 32. Constantino JN, Davis SA, Todd RD, et al. Validation of a brief quantitative measure of
885 autistic traits: Comparison of the social responsiveness scale with the Autism Diagnostic
886 Interview-Revised. *Journal of Autism and Developmental Disorders*. 2003;33(4):427-
887 433. doi:10.1023/A:1025014929212
- 888 33. Bagatell N. Orchestrating voices: Autism, identity and the power of discourse. *Disability
889 and Society*. 2007;22(4):413-426. doi:10.1080/09687590701337967
- 890 34. Hutchison AJ, Johnston LH, Breckon JD. Using QSR-NVivo to facilitate the
891 development of a grounded theory project: An account of a worked example.
892 *International Journal of Social Research Methodology*. 2010;13(4):283-302.
893 doi:10.1080/13645570902996301
- 894 35. Birks M, Mills J. *Grounded Theory: A Practical Guide*. SAGE Publications; 2015.
- 895 36. Birks M, Hoare K, Mills J. Grounded Theory: The FAQs. *International Journal of
896 Qualitative Methods*. 2019;18:1-7. doi:10.1177/1609406919882535
- 897 37. Hoare KJ, Mills J, Francis K. Dancing with data: An example of acquiring theoretical
898 sensitivity in a grounded theory study. *International Journal of Nursing Practice*.
899 2012;18(3):240-245. doi:10.1111/j.1440-172X.2012.02038.x

- 900 38. Denzin NK, Lincoln YS. *The Sage Handbook of Qualitative Research*. sage; 2011.
- 901 39. Charmaz K, Belgrave L. Qualitative interviewing and grounded theory analysis. *The*
902 *SAGE handbook of interview research: The complexity of the craft*. 2012;2:347-365.
- 903 40. Willig C, Stainton Rogers W, eds. *The Sage Handbook of Qualitative Research in*
904 *Psychology*. 1. publ. paperback ed. SAGE; 2013.
- 905 41. Corbin JM, Strauss AL. *Basics of Qualitative Research: Techniques and Procedures for*
906 *Developing Grounded Theory*. Fourth edition. SAGE; 2015.
- 907 42. Thornberg R, Charmaz K. Grounded Theory and Theoretical Coding. In: *The SAGE*
908 *Handbook of Qualitative Data Analysis*. SAGE Publications, Inc.; 2014:153-169.
909 doi:10.4135/9781446282243.n11
- 910 43. Milton DE. On the ontological status of autism: The ‘double empathy problem.’
911 *Disability & society*. 2012;27(6):883-887.
- 912 44. South M, Rodgers J. Sensory, emotional and cognitive contributions to anxiety in autism
913 spectrum disorders. *Frontiers in Human Neuroscience*. 2017;11(January):1-7.
914 doi:10.3389/fnhum.2017.00020
- 915 45. Joyce C, Honey E, Leekam S, Barrett S, Rodgers J. Anxiety, intolerance of uncertainty
916 and restricted and repetitive behaviour: insights directly from young people with ASD.
917 *Journal of Autism and Developmental Disorders*. Published online 2017.
- 918 46. Rodgers J, Herrema R, Garland D, et al. Uncertain Futures: Reporting the Experiences
919 and Worries of Autistic Adults and Possible Implications for Social Work Practice.
920 *British Journal of Social Work*. 2019;49(7):1817-1836. doi:10.1093/bjsw/bcy117


- 921 47. Boulter C, Freeston M, South M, Rodgers J. Intolerance of uncertainty as a framework
922 for understanding anxiety in children and adolescents with autism spectrum disorders.
923 *Journal of Autism and Developmental Disorders*. 2014;44(6):1391-1402.
924 doi:10.1007/s10803-013-2001-x
- 925 48. Boucher J. *Autism Spectrum Disorder: Characteristics, Causes and Practical Issues*.
926 Second edition. SAGE; 2017.
- 927 49. South M, Ozonoff S, McMahon WM. The relationship between executive functioning,
928 central coherence, and repetitive behaviors in the high-functioning autism spectrum.
929 *Autism*. 2007;11(5):437-451. doi:10.1177/1362361307079606
- 930 50. Lam KSL, Bodfish JW, Piven J. Evidence for three subtypes of repetitive behavior in
931 autism that differ in familiarity and association with other symptoms. *Journal of Child*
932 *Psychology and Psychiatry and Allied Disciplines*. 2008;49(11):1193-1200.
933 doi:10.1111/j.1469-7610.2008.01944.x
- 934 51. Szatmari P, Georgiades S, Bryson S, et al. Investigating the structure of the restricted,
935 repetitive behaviours and interests domain of autism. *Journal of Child Psychology and*
936 *Psychiatry and Allied Disciplines*. 2006;47(6):582-590. doi:10.1111/j.1469-
937 7610.2005.01537.x
- 938 52. Uljarević M, Richdale AL, Evans DW, Cai RY, Leekam SR. Interrelationship between
939 insistence on sameness, effortful control and anxiety in adolescents and young adults
940 with autism spectrum disorder (ASD). *Molecular Autism*. 2017;8(1):11-14.
941 doi:10.1186/s13229-017-0158-4

- 942 53. Birrell J, Meares K, Wilkinson A, Freeston M. Toward a definition of intolerance of
 943 uncertainty: A review of factor analytical studies of the Intolerance of Uncertainty Scale.
 944 *Clinical Psychology Review*. 2011;31(7):1198-1208. doi:10.1016/j.cpr.2011.07.009
- 945 54. Spielberger CD. *Anxiety and Behavior*. Elsevier Science; 2014. Accessed August 14,
 946 2022. <http://qut.eblib.com.au/patron/FullRecord.aspx?p=1837595>
- 947 55. Watson D. Relationship between locus of control and anxiety. *Journal of Personality and*
 948 *Social Psychology*. 1967;6(1):91-92. doi:10.1037/h0024490
- 949 56. Abramson LY, Seligman ME, Teasdale JD. Learned helplessness in humans: Critique
 950 and reformulation. *Journal of Abnormal Psychology*. 1978;87(1):49-74.
 951 doi:10.1037/0021-843X.87.1.49
- 952 57. Bandura A. Self-efficacy mechanism in human agency. *American Psychologist*.
 953 1982;37(2):122-147. doi:10.1037/0003-066X.37.2.122
- 954 58. Weems CF, Silverman WK. An integrative model of control: Implications for
 955 understanding emotion regulation and dysregulation in childhood anxiety. *Journal of*
 956 *Affective Disorders*. 2006;91(2-3):113-124. doi:10.1016/j.jad.2006.01.009
- 957 59. Trembath D, Germano C, Johanson G, Dissanayake C. The Experience of Anxiety in
 958 Young Adults With Autism Spectrum Disorders. *Focus Autism Other Dev Disabl*.
 959 2012;27(4):213-224. doi:10.1177/1088357612454916
- 960 60. Hodgson AR, Freeston MH, Honey E, Rodgers J. Facing the Unknown: Intolerance of
 961 Uncertainty in Children with Autism Spectrum Disorder. *J Appl Res Intellect Disabil*.
 962 2017;30(2):336-344. doi:10.1111/jar.12245

- 963 61. Bucur DR. *Defining the Self: Locus of Evaluation, Self-Esteem, and Personality*. Purdue
964 University; 2007.
- 965 62. Kapp SK, Gillespie-Lynch K, Sherman LE, Hutman T. Deficit, difference, or both?
966 Autism and neurodiversity. *Developmental Psychology*. 2013;49(1):59-71.
967 doi:10.1037/a0028353
- 968 63. Seitz CM, Orsini MM. Thirty years of implementing the photovoice method: Insights
969 from a review of reviews. *Health promotion practice*. 2022;23(2):281-288.
- 970
- 971

972 **Figures**

973 Figure 1: *An illustration of uncertainty as different levels of knowns*




974

975

976

977 Figure 2: *A theoretical model of the relationship between uncertainty and anxiety in the*
 978 *experiences of autistic adults*



979