



City Research Online

City, University of London Institutional Repository

Citation: Murphy, R., Harding, C., Aloysius, A., Sweeting, M. & Crossley, S-L. (2021). Developments in allied health professionals' role in UK neonatal units: a speech and language therapy perspective. *Infant*, 17(4), pp. 157-161.

This is the published version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/26624/>

Link to published version:

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Developments in allied health professionals' role in UK neonatal units: a speech and language therapy perspective

The recent *Getting It Right First Time* (GIRFT) survey (2019) has highlighted the significant lack of allied health professional (AHP) provision in neonatal care in the UK. Speech and language therapists (SLT) are part of the AHP workforce currently under-represented in neonatal care. This article summarises how SLTs are addressing the feeding and early communication service requirements and SLT skills needed to support newborn infants and families, and contributing to the wider multidisciplinary neonatal care team.

Rebecca Murphy

Highly Specialist Speech and Language Therapist, Evelina London Children's Hospital
rebecca.murphy2@gstt.nhs.uk

Celia Harding

Honorary Professor, City University London
and Honorary Speech and Language Therapist, Royal Free NHS FT

Annie Aloysius

Clinical Specialist Speech and Language Therapist (Neonatology), Imperial College Healthcare NHS Trust

Michelle Sweeting

Neonatal Speech and Language Therapist,
Mid & South Essex Hospitals NHS FT

Siew-Lian Crossley

Highly Specialist Speech and Language Therapist, formerly Homerton University Hospital NHS FT

Keywords

speech and language therapist; AHP; neonatal team; GIRFT improvements

Key points

Murphy R., Harding C., Aloysius A., Sweeting M., Crossley S-L. Developments in allied health professionals' role in UK neonatal units: a speech and language therapy perspective. *Infant* 2021; 17(4): 157-61.

1. SLTs are core members of the neonatal team.
2. SLTs work collaboratively within the neonatal team to support early infant feeding and communication skills.
3. SLTs are contributing to current workforce developments in neonatal care.

Background

Approximately 90,000 infants born in the UK each year are provided with some form of specialist support from neonatal care.¹ Depending on the gestational age at birth and specific medical needs of an infant, care is provided in one of three levels of unit: level 3 neonatal intensive care unit (NICU), level 2 local neonatal unit (LNU) and level 1 special care unit (SCU). Each level offering specific services to meet the needs of infants with varying developmental and medical requirements.² Preterm and term infants, who need additional support post birth, often require medical care and support from allied health professionals (AHPs) both within a neonatal unit and when discharged home.³

In recent years, neonatal care has included AHPs who have evolved discipline-specific roles as part of the neonatal team. Development of guidance² identified the importance of the speech and language therapist (SLT) in supporting early feeding and communication skills, and this has led to increased funding and positions for SLTs in neonatal care. The SLT role has continued to develop with an increased focus on maximising positive benefits for preterm infants and their families, with an emphasis on early interaction and the feeding relationship in improving these outcomes.

The recent summary document of neonatal services and workforce in the UK from the GIRFT and Royal College of

Paediatrics and Child Health (RCPCH) assessment data⁴ highlighted the significant shortage of medical and nursing staff in neonatal services across the UK. AHPs were found to be available in less than half of UK neonatal units during the week and almost completely absent at weekends. As a result, NHS trusts have been asked to develop an AHP strategy as part of workforce planning, to identify the level currently available and expertise needed, and how any gaps identified can be filled. Operational Delivery Networks (ODNs) with support from NHS providers, maternity clinic networks and local maternity services will identify where action needs to be taken at ODN level and there are plans and funding available to establish ODN AHP posts.⁵

SLTs are part of the AHP workforce currently under-represented within neonatal care. SLTs work in collaboration with members of the neonatal team in the areas of feeding, swallowing and early communication.⁶ This article summarises the contribution of the Royal College of Speech and Language Therapists (RCSLT) SLT Neonatal Clinical Excellence Network (CEN) in recent years and considers future challenges and recommendations.

The function of the RCSLT SLT Neonatal CEN

The RCSLT supports CENs across a range of lifespan clinical disorders to provide peer support within clinical specialties, and to enable meetings and conferences to

discuss the best available evidence to support therapeutic interventions and encourage research and best practice. In July 2014, a national meeting for SLTs working in neonatal units across the UK was held with the support of the RCSLT. The meeting was an opportunity for SLTs working in neonatal units to share practices, pool and map resources and come together with RCSLT to see how to move the profession forward in neonatal care. The meeting was a success and led to the development of a neonatal working party with associated working groups.

The RCSLT SLT Neonatal CEN was formally established in 2018 to provide a forum for SLTs in the UK working within neonatal care and those who follow up preterm infants in the community. SLTs currently are often lone workers or work within a small SLT team supporting

neonatal care and the CEN can therefore provide an important source of support. In addition, CENs support participation with and provision of advice to associated professional organisations (eg the British Association of Perinatal Medicine, BAPM), contributing to relevant multidisciplinary policies and workforce planning, which impact on the provision of SLT. CEN members also participate in consultations and project work in the areas relevant to early feeding and communication with charitable organisations such as Bliss and Best Beginnings. When necessary, the CEN provides position statements to address complex issues that have implications on clinical practice and outcomes. **TABLE 1** highlights the key standards and policies that members of the SLT Neonatal CEN have participated in and contributed towards.

The CEN recognises that being aware of the best evidence to support and promote infant feeding and communication is necessary to enable SLTs to provide the best methods of assessment and intervention. All therapeutic work is undertaken with the understanding that working with a team within a developmental care framework is essential. An annual Hot Topics conference is hosted by City, University of London, where the most relevant evidence of the previous year is presented, and invited speakers disseminate and discuss new innovations and practice. There is a direct focus on research undertaken by SLTs both in the UK and from around the world. This forum also promotes discussion of research ideas, National Institute for Health Research (NIHR) grant proposals, current research projects and service

Date and organisation	Document
2014 BAPM	Optimal Arrangements for Neonatal Intensive Care Units in the UK www.bapm.org/resources/31-optimal-arrangements-for-neonatal-intensive-care-units-in-the-uk-2014
2015 Bliss	Bliss Baby Charter www.bliss.org.uk/health-professionals/bliss-baby-charter
2015 NHS Commissioning	NICU Service Specification: Neonatal Critical Care www.england.nhs.uk/commissioning/wp-content/uploads/sites/12/2015/01/e08-serv-spec-neonatal-critical.pdf
2016 UNICEF	Baby Friendly Neonatal Standards www.unicef.org.uk/babyfriendly/wp-content/uploads/sites/2/2015/12/Guidance-for-neonatal-units.pdf
2017 NHS England	Neonatal Critical Care Review www.networks.nhs.uk/nhs-networks/yorkshire-humber-neonatal-odn/meetings/executive-group-meeting/executive-group-meeting-6-december-2018/enc-d-final-national-qst-report
2017 RCSLT	Benchmarking Survey of SLT Provision on Neonatal Units in the UK
2017 National Institute for Health and Care Excellence (NICE)	Developmental Follow up of children and young people born preterm www.nice.org.uk/guidance/qs169/resources/developmental-followup-of-children-and-young-people-born-preterm-pdf-75545608839109
2018 RCSLT	Speech and Language Therapy Staffing Recommendations for Neonatal Units www.londonneonatalnetwork.org.uk/wp-content/uploads/2015/09/Neonatal-Speech-and-Language-Therapy-Staffing-Level-Recommendations-FINAL.pdf
2018 BAPM	Optimal Arrangements for Local Neonatal Units and Special Care Baby Units in the UK www.bapm.org/resources/2-optimal-arrangements-for-local-neonatal-units-and-special-care-units-in-the-uk-2018
2019 National Institute for Health and Care Excellence (NICE)	Specialist Neonatal Respiratory Care for Babies Born Preterm www.nice.org.uk/guidance/ng124/resources/specialist-neonatal-respiratory-care-for-babies-born-preterm-pdf-66141658884805
2019 NHS England & NHS Improvement	Implementing the Recommendations of the Neonatal Transformation Review www.england.nhs.uk/publication/implementing-the-recommendations-of-the-neonatal-critical-care-transformation-review/
2020 RCPCH	A Snapshot of Neonatal Services and Workforce in the UK www.rcpch.ac.uk/resources/snapshot-neonatal-services-workforce-uk

TABLE 1 Key standards and policy documents that CEN members have participated in.

evaluations. Many CEN members have undertaken research that is highly relevant to improving clinical interventions and published in peer reviewed journals. Publications have investigated pertinent clinical topics including:

- use of non-nutritive sucking⁷⁻⁹
- screening to identify neonatal feeding problems¹⁰
- clinical considerations when feeding infants on high flow nasal cannula oxygen¹¹
- investigating bottle teat flow rates on neonatal units¹²
- infant communication on neonatal units¹³
- the impact of prolonged use of masks when caring for infants during the COVID pandemic.^{14,15}

The CEN has four key working groups committed to developing and supporting neonatal SLT.

1. National neonatal SLT provision; benchmarking and implementing national staffing and practice standards

Between October 2016 and October 2017, the CEN, with support from the RCSLT, undertook a national benchmarking survey of SLT provision across UK neonatal units. The questionnaire surveyed the level of care, funding, banding, clinical experience, clinical supervision, training, multidisciplinary team composition and the nature of therapeutic interventions provided. Data were returned from 67 (35%) units. Many units did not have a

SLT service and there was a higher response rate from units that did. Most responses (93%) were from level 2 (LNU) and 3 (NICU) units. SLTs working on neonatal units demonstrated a wide range of clinical experience, from less than a year to more than 10 years, with 71% of the sample indicating more than six years working in neonatal care. Funding for SLT posts on units was sourced from a variety of financial options as shown in **FIGURE 1**.

From the survey, it was identified that 54% of units had allocated time for SLTs to work on the neonatal unit. Differences in funded provision varied between levels of unit, with level 3 (NICU) units having more funded provision and level 1 (SCU) the least. Banding of SLT posts within each level varied from 6 to 8c. Most SLTs (85%) had clinical support and supervision, 71% had support from therapists skilled in neonatal care. Band 6 SLTs worked with support from a higher banded SLT.

Reasons for referral to SLT are indicated in **FIGURE 2**. Requests to assess safety of the swallow was the most frequent reason for SLT input.

These findings highlighted significant variation in delivery, support and supervision for SLT provision to neonatal services. Aside from practical aspects of intervention and support for infants and their families, problems with establishing team working, specifically with other AHPs because of limited allocation of time was cited as a problem in enabling growth and

development of a post and providing an embedded proactive rather than reactive service. From these data, the CEN developed the *RCSLT SLT Staffing Recommendations for Neonatal Units* document (2018)¹⁶ later used as part of the GIRFT NHS improvement initiative.

The GIRFT programme aimed to support the implementation of the Neonatal Critical Care Transformation Review (NCCTR), which recommended neonatal networks and services produce a gap analysis looking at staffing. The GIRFT survey, carried out in 2019, highlighted the significant lack of AHP provision on neonatal units nationally. In response to GIRFT results and NCCTR recommendations, members of the CEN updated the original benchmarking data (2017) and produced a gap analysis comparing current SLT provision to the RCSLT SLT neonatal staffing recommendations.¹⁶

This gap analysis helped highlight specific deficits in SLT provision to enable the further establishment of required SLT posts in relation to the number of cots and level of unit. Taking this work forward will be a key focus for newly established neonatal ODN SLTs.

2. Education and training

Access to training and development opportunities for SLTs working in neonatal care has been inconsistent with training opportunities ranging from therapists accessing formal neonatal courses to in-house training and development. There is a




FIGURE 1 Funding sources for SLT posts in neonatal care. The term 'not funded' refers to services that access a SLT from another provision to provide assessment and intervention on an ad hoc basis.




FIGURE 2 Reason for referral to SLT.

need for access to more specific training opportunities for SLTs in order to build skills in this area and strengthen the profession moving forward. The benchmarking survey revealed a lack of structure and standards to enable neonatal SLT workforce planning. It highlighted both the need to develop a competency framework for neonatal SLT and the educational opportunities to achieve delivery.

The RCSLT dysphagia framework is comprehensive, but there was a need for specific competencies for this specialist area of dysphagia in order to ensure that all SLTs working in neonatal care have the competence and confidence to support these complex infants and their families. Neonatal competencies were developed with the support of RCSLT to make the skills and knowledge required for SLTs clearer and support managers in service development and recruitment. Competencies also ensure a skilled workforce in this area and strengthen the role of SLTs in neonatal units.

All undergraduate SLTs leave university with a basic knowledge of dysphagia across the lifespan. Neonatal SLT education and skills are undertaken at post-basic, postgraduate level. Currently educational requirements are enabled through access to ad hoc study days from specialist SLTs or conferences and courses provided by organisations, such as National Association of Neonatal Therapists, Bliss, Brazelton Centre, and the Newborn Individualized Developmental Care and Assessment Program (NIDCAP). In addition, many qualified clinicians provide postgraduate support, with use of competencies to structure and guide skill acquisition.

The annual Neonatal CEN Hot Topics study days were established in 2018 to further meet the need for continued professional development in this specialist area.

Education is a current area of focus for the CEN. We are embarking on a joint project with Health Education England and e-Learning for Healthcare to develop the foundation and clinical expert/specialist level clinical competencies curriculum and resources.

3. Outcome measures

Outcome measures are an important part of the SLT role, to demonstrate effective patient care and improve quality of care. The working party has identified that while

it is important for SLTs to be able to show the effectiveness of what they do, it is challenging to find one tool or model that encompasses the breadth of the neonatal SLT role. The role of the SLT in neonatal care is varied: from direct work with infants with feeding and swallowing impairments, to working with families and the medical, nursing and AHP team to support and improve feeding and communication outcomes. In order to measure outcomes of SLT interventions in neonatal care there may be the need for a suite of tools or a multifaceted tool that looks at SLT, parent and neonatal staff measures.

The outcome measures group is investigating and evaluating current outcome measure tools. The TOMS (therapy outcome measures) paediatric dysphagia scale is of use with infants with feeding impairment.¹⁷ Two TOMS scales are in development: one which assesses parent-infant responsiveness and another that focuses on infant pre-feeding skills. These have been trialled but did not capture the breadth and specific input of neonatal SLT provision. A tool is currently in development and being trialled by CEN that considers seven domains of neonatal SLT input and outcomes.

4. Communications

To enable SLT neonatal colleagues to share and receive information from CEN working groups, projects, pending courses, clinical queries, job opportunities and research relevant to neonatal care, the RCSLT has provided a Basecamp (an online project management tool) protected site. In addition to this, the RCSLT website has been updated to make it easier to find CEN moderated information pertinent to neonatal SLT care. Currently these resources are available to RCSLT members only. We are working with BAPM to provide wider access to information on neonatal SLT via its open access website.

The CEN's presence on social media platforms, Twitter and Facebook, provide other methods of sharing research published from around the world as well as a means of supporting contact between SLTs and other neonatal professionals.

Conclusions

The neonatal workforce is currently in a critical phase of development, with AHPs particularly under-established and under-

represented.⁴ Core skills required of a SLT are defined within the 2010 BAPM Service Standards,⁶ and these skills are appropriate for all levels of neonatal unit. However, to ensure that SLT skills are fit for purpose and continue to progress and meet the needs of infants and families receiving neonatal care, the CEN is committed to the following actions:

- ongoing contributions with RCSLT and university establishments that train SLT students to ensure that training for dysphagia meets the needs of probationer SLTs on graduation, and that postgraduate training reflects the clinical competencies and advanced skills required for neonatal care
- to work closely with Health Education England to develop equitable and accessible training and career progression for SLTs specialising in neonatal care to ensure the workforce has the expert skills required and there is succession planning while growing the workforce
- development of the neonatal SLT operational delivery network role
- ongoing review of SLT service provision, with audit of the *Speech and Language Therapy staffing Recommendations for Neonatal Units* document¹⁶
- investigation of the diversity of therapeutic skills required for each level of unit aside from the core skills identified⁶
- ongoing support for research projects from CEN members, with increased efforts to link to universities for additional support
- ongoing contributions and participation in any future policies and procedures which impact on neonatal care
- ongoing support and peer support for CEN members, with opportunities to share successful work projects and activities
- to establish a robust outcome measure tool that captures the breadth of the neonatal SLT role
- developing and enhancing collaboration with other AHP groups and professional bodies specialising in neonatal care across the UK to support service development, continued professional development and inform national standards and policies.

Acknowledgements

The authors' thanks are extended to members of the Speech and Language

Therapy Neonatal CEN committee, in particular Jo Marks, Professional Lead for Speech and Language Therapy, Royal Manchester Children's Hospital.

References

1. **Bliss.** What are the different levels of neonatal care? 2020 online at: www.bliss.org.uk/parents/in-hospital/about-neonatal-care/how-does-neonatal-care-work
2. **Department of Health.** Toolkit for high quality neonatal services. Department of Health: 2009. Online at: www.londonneonatalnetwork.org.uk/wp-content/uploads/2015/09/Toolkit-2009.pdf
3. **Kallioinen M, Eadon H, Murphy M.S, Baird G.** Developmental follow-up of children and young people born preterm: summary of NICE guidance. *BMJ* 2017;358:j3514.
4. **Adams E.** A snapshot of neonatal services and workforce in the UK. 2020 online at: www.rcpch.ac.uk/sites/default/files/2020-09/a_snapshot_of_neonatal_services_and_workforce_in_the_uk_24.pdf
5. **NHS England and NHS Improvement.** Implementing the Recommendations of the Neonatal Critical Care Transformation Review. 2019 online at: www.england.nhs.uk/publication/
6. **British Association of Perinatal Medicine.** Service standards for hospitals providing neonatal care, 3rd edition. 2010 online at: www.bapm.org/resources/32-service-standards-for-hospitals-providing-neonatal-care-3rd-edition-2010
7. **Harding C, Frank L, Van Someren V, et al.** How does non-nutritive sucking support infant feeding? *Infant Behavior Development* 2014;37:457-64.
8. **Harding C, Frank L, Botting N, Hilari K.** Assessment and management of infant feeding. *Infant* 2015;11:85-89.
9. **Harding C, Cockerill H, Cane C, Law J.** Using non-nutritive sucking to support feeding development for premature infants: A commentary on approaches and current practice. *J Pediatr Rehabil Med* 2018;11:147-52.
10. **Edney SK, Jones S, Boaden E.** Screening for feeding difficulties in the neonatal unit: Sensitivity and specificity of gestational age vs. medical history. *J Neonatal Nurs* 2019;25:116-20.
11. **Murphy R, Harrison K, Harding C.** Feeding infants on high flow nasal cannula oxygen therapy (HFNC): An exploration of speech-language pathologists' decision-making processes. *J Clin Pract Speech-Language Pathol* 2018;20:121-29.
12. **Bell N, Harding C.** An investigation of the flow rates of disposable bottle teats used to feed preterm and medically fragile infants in neonatal units across the UK in comparison with flow rates of commercially available bottle teats. *Speech Language Hearing* 2019;22:227-35.
13. **Harding, C., Levin, A., Crossley, S. L., Murphy, R., Van den Engel-Hoek, L.** Effects of early communication intervention on speech and communication skills of preterm infants in the neonatal intensive care unit (NICU): a systematic review. *J Neonatal Nurs* 2019;25:177-88.
14. **Harding C, Aloysius A, Bell N, et al.** Reflections on COVID-19 and the potential impact on preterm infant feeding and speech, language and communication development. *J Neonatal Nurs* 2021;27:220-22.
15. **Royal College of Speech and Language Therapists Neonatal CEN Committee.** Behind the mask. *RCSLT Bulletin* 2021;Jan:18-20.
16. **Royal College of Speech and Language Therapists.** Speech and Language Therapy Staffing Recommendations for Neonatal Units, Neonatal Speech and Language Therapy Stakeholders group. 2018 online at: www.rcslt.org/speech-and-language-therapy/clinical-information/neonatal-care/
17. **Enderby P, John A, Petheram B.** Therapy outcome measures for rehabilitation professionals: speech and language therapy, physiotherapy, occupational therapy. John Wiley & Sons: 2013.

UK NATIONAL NEONATAL TRANSPORT GROUP CONFERENCE 2021

THURSDAY 4TH NOVEMBER 2021

VIRTUAL



Due to the uncertainty of live events, we have made the difficult decision to make this years' meeting virtual. We are very hopeful that we will all be able to meet again at an in-person event in 2022.

This conference gives neonatal transport professionals an opportunity to exchange and share good practice, ideas and experiences, and produces annual statistics on transport activity throughout the UK.

Topics to include:
Transport research
History of ambulances
NTG annual data
Challenges of mobile ECMO
Oral presentations

Continuing Professional Development (CPD) points will be applied for.

Register at www.cfsevents.co.uk

